


WHAT IS CLAIMED IS:

1) A compound of formula (I)



wherein

Resin denotes polystyrene, optionally cross linked with divinyl benzene or polyethyleneglycol;

R¹ denotes hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-alkoxy, halogen, NO₂ or CF₃;

R² denotes a group selected from hydroxy, amino, and formyl, being optionally protected by a suitable protective group,
or
a 5 or 6 membered saturated or unsaturated nitrogen heterocycle, optionally containing one or two additional heteroatoms selected from the group consisting of oxygen, nitrogen and sulfur, and being optionally substituted by a group selected from C₁-C₆-alkyl, C₁-C₆-alkoxy, halogen, NO₂ and a suitable protective group.

2) The compound as recited in claim 1 wherein R² is N-C₁-C₆-alkylamino, optionally protected by a suitable protective group.

3) The compound as cited in claim 1,

wherein

Resin denotes polystyrene, optionally cross linked with divinyl benzene or polyethyleneglycol;

R¹ denotes hydrogen, C₁-C₄-alkyl, C₁-C₄-alkoxy, fluorine, chlorine, bromine, or NO₂;

R² denotes a group selected from hydroxy, amino, and formyl, being optionally protected by a suitable protective group,
or


a 5 or 6 membered saturated or unsaturated nitrogen heterocycle, optionally containing one additional nitrogen heteroatom which is substituted by a protective group selected from fluorenylmethoxycarbonyl and t-butoxycarbonyl.

4) The compound as recited in claim 3 wherein R^2 is N- C_1 - C_4 -alkylamino, optionally protected by a suitable protective group.

5) The compound as cited in claim 1, wherein

Resin denotes polystyrene cross linked with divinyl benzene;
 R^1 denotes hydrogen, methyl, methoxy, fluorine, chlorine, bromine, or NO_2 , preferably hydrogen;
 R^2 denotes hydroxy, being protected by a group selected from tertbutyldimethylsilyl, methoxy-ethoxymethyl (MEM) and methyl, or
N-methylamino, being protected by a group selected from fluorenylmethoxycarbonyl (Fmoc) and t-butoxycarbonyl (BOC), or
formyl, being protected to form a dioxolane ring, or
piperazin-1-yl, being substituted by a protective group selected from fluorenylmethoxycarbonyl and t-butoxycarbonyl.

6) A compound of formula (IV)




wherein

R^1 denotes hydrogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl, C_2 - C_6 -alkynyl, C_1 - C_6 -alkoxy, halogen, NO_2 or CF_3 ; and
 R^2 denotes a group selected from hydroxy, amino, and formyl, being optionally protected by a suitable protective group.

7) The compound as recited in claim 6 wherein R^2 is N-C₁-C₆-alkylamino, optionally protected by a suitable protective group.

8) A compound of formula (I')



wherein Resis denotes polystyrene, optionally cross linked with divinyl benzene or polyethyleneglycol;

R^1 denotes hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-alkoxy, halogen, NO₂ or CF₃; and

R^3 denotes a group selected from -O-CO-C₁-C₄-alkyl, -N(C₁-C₄-alkyl)₂, -NH-CO-C₁-C₄-alkyl, -NH-CO-OC₁-C₄-alkyl, -NH-CO-NH-C₁-C₄-alkyl, -COOH, -COOC₁-C₄-alkyl and -CONHC₁-C₄-alkyl and -CH₂OH.